


Car Repair Shop standard

S/N	Name	Brand	Model	Quantity	price/FOB SHANGHAI	Amount	Ref. Picture	Parameters
Universal Servicing Machine								
1	30T shop press	HOTON	30T	1	\$311.6	\$311.6		30T SHOP PRESS WITH GAUGE RATED LOAD: 30T STROKE: 150mm MAX.WORKING DISTANCE: 820mm MIN.WORKING DISTANCE:
5	Air Compressor	HOTON	1.0/8	1	\$576.8	\$576.8		Press:8kg Displacement:1.05M3 Power:7.5KW、380V With Air Tank:300L
3	cool dryer machine	Hoton	0.9/8	1	\$113.0	\$113.0		cool dryer machine, 0.9/8
4	Grinding machine220V/50 HZ	JinDin	200MM	1	\$57.2	\$57.2		Grinding diameter of 200 (mm) rated speed multiple (R / min) Input power of 380 (W) 220Vsecurity line speed multiple (M / s)
5	Vise	HG	200mm	1	\$60.9	\$60.9		200MM
13	AIR PIPE ROAD PVR	HOTON	800M ²	1	\$534.2	\$534.2		Air system, PVR pupe, Main line is 40mm,Branch line is20mm,stick, 120m main pipe
H2202	Containing 330 fast repair and maintenance tool kit	BESTIR	6663	2	\$577.97	\$1,155.9		Containing 330 fast repair and maintenance tool kit
8	parts box	Feiying	FY903	2	\$46.4	\$92.8		parts box,Three.
10	Carry lift	NUOLI	2T	1	\$239.1	\$239.1		2T, carry car

1224	tool cabinet	HOTON	JS326	1	\$165.94	\$165.9		780*465*820MM 6 draw: 545*395*45mm 63kg
1225	part cabinet	HOTON	JS500	1	\$171.01	\$171.0		660*450*1540MM 57kg
355	arrow light(for workshop)	HOTON	1.2*2	10	\$22	\$217.4		Using LED lights, 1.2m*2, material aviation aluminum + light diffusion PC cover + connector Mainly used for fine washing Each station is 4m long
53	回Honeycomb light(for wash and polish)	HOTON	1bay/7* 4m	4	\$200.0	\$800.0		Using LED lights, each 0.6m, 8w, material aviation aluminum + light diffusion PC cover + connector Mainly used for fine washing
34	Honeycomb light(for wash and polish)	HOTON	1bay/7* 4m	1	\$140	\$140.3		Using LED lights, each 0.6m, 8w, material aviation aluminum + light diffusion PC cover + connector Mainly used for fine washing
18	Light drum drum integration	HOTON	12M/12m	4	\$260.9	\$1,043.5		Light&Electronic line role drum integration
Equipment of Servicing Shop						\$0.0	\$0.0	
1	3D Four Wheel Alignment Machine	HOTON	HC3D-808	1	\$2,869.6	\$2,869.6		Two 3D digital camera, four goals target, equipment calibration only once the installation is complete, without periodic repetition, dynamic measurement, the low level of demand for lift, precision range measurements
2	Lifter for wheel alignment(four legs)	HOTON	HC440W	1	\$2,144.9	\$2,144.9		Capacity:4T /1.7m Power:2.2KW/380V 1.mainly used for mini bus,2.accurate horizontal and adjustable,applied in kinds of wheel aligner
L2052	Two Post Lift (single release)	LAUNCH	TLT245CS	3	\$1,050.7	\$3,152.2		Manual single lock release Rated load: 4500kg Lifting height: 1850mm Initial height: 110mm Lifting time: 50s Lowering time: 20s 40s Passing width for symmetric installation: 2880mm

4	Dynamic Wheel Balancer (No Cave)	HOTON	ZH825B	1	\$456.5	\$456.5		Max.wheel weight:65kg Power: 0.2KW Voltage:220V,Accuracy:±1g, Average Speed:220rpm,wheel dia.:10"-24",wheel width:1.5"- 20"
###	24" Tire changer right help arm	HOTON	ZH650R	1	\$953.3	\$953.3		Rim clamping from outside: 10" -20" Rim clamping from inside: 12"-24" Bead-breaker force: 2500kg Max.wheel diameter: 41"(1040mm) Wheel width: 3" -
2032	Rotary Chassis Noise Detector 3.5T manual	HOTON	X35R	1	\$1,956.5	\$1,956.5		With rotary V head Lift weight: 3500kg voltage: 380v3phase/220v 1phase power: 2.2kwX2 height: 1100mm single duration: 1042HZ temperature: 3050°C Net weight: 660kg
41206	Tire inflation machine(06.8kg)	FLYSPE ED	FS301	1	\$181.2	\$181.2		Max E51 Specifications Power supply 220V/50-60Hz Operating pressure range 0-6.8bar(0-99psi) Default pressure value 2.2bar (32psi) Reading accuracy + 1 psi Operating temperature 10 - 50°C Weight: 9kg
7	Oil-sucking Machine	HOTON	3197L	1	\$137.7	\$137.7		Vacuum tech.,measuring cup:12L,oil tank:80L,use for replacing oil
3	Brake drum&disc machine	Longshan	C9335	1	\$1,243.5	\$1,243.5		Range of Processing Diameter 180-350 Brake Drum 180-350 Brake Disc180-350 Rotating Speed of Work-piece (r/min) 90 Max. Travel of Tool (mm) 100 Overall Dimensionsmm (L x W
1234	Battery Charger/Booster	FLYTECH	FY1400	1	\$236	\$236.4		INPUT VOLTAGE: 220V &380 50HZ/60HZ POWER: 1.4kw CHarge voltage: 12/24V charge current: 11/17/24/31/38/50A charge start current: 1250A
9	Gear oil filling machine	GREEN	VX500	1	\$87.0	\$87.0		1) pressor:1-2.5bar, 2) weight: 18.5kg, 3) volumn: 24L, 4) The maximum pressure safety valve: 4bar, 5) medium: oil, gear oil, the use of international advanced technology and design, long

27	ATF Oil Replacing Machine computer LED	shuangying	ATF6800	1	\$576.8	\$576.8		power:0.18KW,AC220V50Hz/DC12V,weight:40Kg,size:430*540*1080mm(L/W/H),double line design,new oil and used oil are totally separated,100% renew,above 5 bar pressure,high efficiency,reliable
L3002	VALUE300 refrigerant machine	LAUNCH	Value300	1	\$1,246.4	\$1,246.4		1. Nondisassembled maintenance that save time and effort, and reduce accessories loss 2. Automatic full service without manual intervention 3. Accurate recharging with built-in automotive A/C database that covers mainstream models 4. Visible operation steps with
H2043	Brake oil exchanger(air press)	HOTON	GS432	1	\$181.2	\$181.2		Power source (driving force): pneumatic air Working pressure (pressure): 060PSI Weight (weight): 10kg Dimensions (size): 370 * 260 * 750 Scope (range): small gasoline and diesel vehicles
L3007	Injector Cleaner & Tester(GDI)	LAUNCH	CNC801 GDI	1	\$431.9	\$431.9		Brand Name: LAUNCH Size: 500*600*700MM Product name: Car Wash Machine Voltage: 220240V Package size 45x45x50 Package weight 28kg
11	Assembly Lifting and Handling Machine	HOTON	H2054	1	\$137.7	\$137.7		Capacity:2T Lowest330mm/Highest2560mm,Gross weight:55kg
12	gear bracket	HOTON	H2057	1	\$137.7	\$137.7		Capacity:0.5t lowest870mm/highest1800mm ,size:780*730*910
L2303	LH2303 3T low position double pump jack	LAUNCH	LH2303	1	\$72.2	\$72.2		Rated load: 3000kg Lifting height: 505mm Initial height: 75mm Package: 80x38x20cm Weight: 34.2kg One pallet: 18pc
14	Spring Disassembling(press type)	HOTON	H2011	1	\$137.7	\$137.7		easy operating for one worker,adjust in many directions,reliable
32	Parts Washer	HOTON	VX3000	1	\$390.6	\$390.6		Disassembled parts can be flushed and cleaned

35	engine flip rack	HOTON	500KG	1	\$195.7	\$195.7		Worm with oil pan
15	working lamp assy.	QS	12M	6	\$37.7	\$226.1		high reliability, 15m
16	working air assy.	QS	12M	6	\$37.7	\$226.1		high reliability 12m/8mm
HL316	1/2 pneumatic wrench	HOTON	HL316	1	\$46.38	\$46.4		1/2 1020NM/2.7KG
R680	torque wrench (charge)	HOTON	R680	1	\$52.17	\$52.2		1/2—/350NM 2x20v 4.0battery
L1005	Auto Tester	LAUNCH	X431PAD V	1	\$1,521.7	\$1,521.7		10.1 inch LCD screen, ECU programmer 2 Year free update Package: 43x36x36cm Weight 10kg
22	TPMS tester	LAUNCH	TPMS501S	1	\$79.7	\$79.7		Features Covers over 98% global vehicles with tire pressure system. ★Activate and match with
23	LTR03 RF Sensor	LAUNCH	LTR03	40	\$9.4	\$376.8		Features 1. Compatible with over 98% of OE level sensors in 315MHz and 433MHz.
51	VSP-310 Air Conditioning Cleaning Endoscope 2-in-1	LAUNCH	VSP310	1	\$108.4	\$108.4		VSP-310 Air Conditioning Cleaning Endoscope 2-in-1
53	BST-500 domestic standard configuration	LAUNCH	BST500	1	\$63.4	\$63.4		BST-500 domestic standard configuration
1261	28件多功能水箱压力表组 28PCS Radiator Pressure Tester vacuum-type Cooling system	HOTON	H2615	1	\$71.88	\$71.9		28件多功能水箱压力表组 (塑钢) 28PCS Radiator Pressure Tester vacuum-type Cooling system Kit

1260	TU-443多功能燃油表 TU-443 Fuel injection pressure gauge	HOTON	H2605	1	\$47.83	\$47.8		TU-443多功能燃油表 TU-443 Fuel injection pressure gauge
21	Oil/Transmission Pressure tester	HOTON	TU-12	1	\$26.1	\$26.1		<ul style="list-style-type: none"> • 3-1/2" gauge • Scales read 0-28Kg/cm2(0-400Psi) • Both English and metric scales • Kit includes adapters of all popular applications
22	Compression Testers	HOTON	TU-003	1	\$19.6	\$19.6		A convenient push-button release valve provides for re-checking cylinder compression without removing the gauge. Adapters threaded 14mm, 14mm(long reach) and 19mm
23	Vacuum degree tester	HOTON	TU-003	1	\$13.0	\$13.0		Vacuum degree tester
24	Manual vacuum pump	HOTON	PK9014	1	\$50.7	\$50.7		Manual vacuum pump
4	Polishing Machine	DEWALT	DW849	1	\$166.7	\$166.7		powerful motor, ball bearing style, long life, Electronic Speed Control module can insure the set speed
Cleaning Machine						\$0.0	\$0.0	
9	Finely cleaned floor grille (for wash and polish)	HOTON	1bay/7*4m	28	\$9.4	\$263.8		4x7m 8 tons under pressure, light weight, detachable, easy to install, no tools to build quickly, no slot above 3cm thickness, widely used in 4S booth, car beauty shop, foil
1	Body Cleaning Machine	JEEPLUS	T318	1	\$287.0	\$287.0		pressure:80bar power:0.75kw, water outlet:12L/min.
2	dust&fouling removing machine	Chaobao	CB30L	1	\$46.4	\$46.4		30L, Power:0.75KW

3	Foam Machie	HOTON	80L	1	\$65.2	\$65.2		Pressure:2-3kg,capacity:80L
					合计	\$26,365.1		

Shanghai HOTON Auto equipment, FOB shanghai 02159159353 13801993101 CONTACT:MR John, 1PC 40 CONTAINER