


Complete List of Equipment/Tools for Auto-Repair Shop

S/N	Name	Brand	Model	quantity	RMB PRICE	price/FOB SHANGHAI	Amount	Ref. Picture	Parameters
Universal Servicing Machine									
1	30T sleeve bush shop press	HOTON	30T	1	5900	\$808.2	\$808.2		Type:power pump pressure: 30t head model: 38pc voltage: 220v or 380v movable head Machine Size: 1150*1640*500mm
1	30T shop press	HOTON	30T	0	2150	\$311.6	\$0.0		30T SHOP PRESS WITH GAUGE RATED LOAD: 30T STROKE: 150mm MAX.WORKING DISTANCE: 820mm MIN.WORKING DISTANCE:
2	Air Compressor	gaochang	1.05/8	1	4950	\$678.1	\$678.1		Press:8kg Displacement:1.05M3 Power:7.5KW、380V With Air Tank:300L
3	Integrate Screw Air Compressor Frequency	LAUNCH	LAC510	1	9,580	\$1,312.3	\$1,312.3		Motor power 7.5KW/10HP Power supply 380V Flow: 1100L/min work press: 8 Bar Tank vol umn: 300L
4	Drilling machine	JinDin	16mm	1	1485	\$203.4	\$203.4		Work area: 270×280mmbottom area: 254×237mmhigh 1230mm Power: 750w
5	HC/C2H2 PC	BESTIR	6PC	2	550	\$75.3	\$150.7		Includes lists, pipes, gun every two
6	Oil-Water Shifter	HOTON	C002	3	550	\$75.3	\$226.0		C glass is used in pipeline H glass is used in Paint Baking House
7	cool dryer machine	Hoton	0.9/8	1	780	\$106.8	\$106.8		cool dryer machine, 0.9/8
8	Grinding machine220V/50HZ	JinDin	200MM	1	395	\$54.1	\$54.1		Grinding diameter of 200 (mm) rated speed multiple (R / min) Input power of 380 (W) 220Vsecurity line speed multiple (M / s)
9	Vise	HG	200mm	1	420	\$57.5	\$57.5		200MM

11	TTG338 338 piece machine tool kit	LAUNCH	TTG338	3	5600	\$767.1	\$2,301.4		TTG338 338 piece machine tool kit
H2202	Containing 330 fast repair and maintenance tool kit	BESTIR	6663	0	3988	\$577.97	\$0.0		Containing 330 fast repair and maintenance tool kit
12	parts box	Feiyang	FY903	6	320	\$43.8	\$263.0		parts box,Three.
13	AIR PIPE ROAD PVR	HOTON	800M ²	1	10900	\$1,493.2	\$1,493.2		Air system, PVR pipe, Main line is 40mm, Branch line is 20mm, stick, 120m main pipe
14	Carry lift	NUOLI	2T	1	1650	\$226.0	\$226.0		2T, carry car
15	work table	HOTON	YSB1503	1	2350	\$321.9	\$321.9		Table surface: 50mm green composite desktop capacity: 1000 KG Color: green Specification: W1500 * D750 * H1250 MM
H224	tool cabinet	HOTON	JS326	1	1145	\$165.94	\$165.9		780*465*820MM 6 draw: 545*395*45mm 63kg
H231	Workbench	FLYTECH	FY800LS	1	2444	\$354.20	\$354.2		FY800LS Stainless Steel Tabletop 1900x910x780(mm)
H3501	long light (for workshop)	HOTON	10cm*5cm*480cm	6	700	\$101	\$608.7		Using LED lights, 10*5*480cm material aviation aluminum + light diffusion PC cover + connector
H3552	arrow light (for workshop)	HOTON	1.2*2	10	150	\$22	\$217.4		Using LED lights, 1.2m*2, material aviation aluminum + light diffusion PC cover + connector Mainly used for fine washing Each station is 4m long
53	Honeycomb light (for wash and polish)	HOTON	1bay/7*4m	4	1450	\$200.0	\$800.0		Using LED lights, each 0.6m, 8w, material aviation aluminum + light diffusion PC cover + connector Mainly used for fine washing


34	Honeycomb light(for wash and polish)	HOTON	1bay/7*4m	1	968	\$140	\$140.3		Using LED lights, each 0.6m, 8w, material aviation aluminum + light diffusion PC cover + connector Mainly used for fine washing
18	Light drum drum integration	HOTON	12M/12m	4	1800	\$260.9	\$1,043.5		Light&Electronic line role drum integration
Equipment of Servicing Shop						\$0.0	\$0.0		
17	3D Four wheel aligner	LAUNCH	X831S	1	23800	\$3,260.3	\$3,260.3		Specification: Measuring parameter: Intelligent Auto Lifting Display accuracy: Range , Accuracy 1/0.01° /0.1mm Camber: Range ± 10° , Accuracy ± 2' Caster: Range ± 20° , Accuracy ± 6' K.P.L.: Range ± 20° , Accuracy
L2034	Supper thin scissor lift with secondary lift	LAUNCH	TLT840WAF	1	28500	\$4,130.4	\$4,130.4		Specifications TLT840WA Maximum lifting weight 4000KG minimum height 195MM platform length 4500MM platform width 660MM platform lifting height 1860MM
18	Wheel Alignment 4 Post Lift	LAUNCH	TLT440W	0	16500	\$2,260.3	\$0.0		Liftcapacity: 4.0 T, lift high: 1.8 meters, VoltagePower: 380V 2.2 KW column long: 4648mm Total long: 5620mm out wide: 3440mm pass wide: 3000mm height: 2340mm Secondary Lift Pneumatic
L2052	Two Post Lift (single release)	LAUNCH	TLT245CS	6	7250	\$1,050.7	\$6,304.3		Manual single lock release Rated load: 4500kg Lifting height: 1850mm Initial height: 110mm Lifting time: 50s Lowering time: 20s 40s Passing width for symmetric installation: 2880mm
20	Wheel Balancer	LAUNCH	KWB503	1	7850	\$1,075.3	\$1,075.3		Feature: Aluminium gauge head with wheel weight clamp Automatic distance and wheel diameter measuring DYN mode for standard rim, 3 ALU modes for alloy rims or special shaped rim, statistic mode for motorcycle rim
21	Tire Changer	LAUNCH	TWC502RMB	1	7650	\$1,047.9	\$1,047.9		Feature: ◆Pneumatically operated tilting column ◆Simultaneous pneumatic horizontal and vertical arm locking ◆Capable of handling stiff, wide and lowprofile tire ◆Right helo arm
22	Rotary Chassis Noise Detector 3.5 T LCD	HOTON	HCX40R	1	15800	\$2,164.4	\$2,164.4		LCD screen 7inch With rotary V head Lift weight: 3500kg, voltage: 380v3phase/220v 1phase power: 2.2kwX2 height: 1100mm single duration: 1042HZ temperature: 3050°C Net weight: 660kg

H1206	Tire inflation machine(06.8kg)	FLYSPEED	FS301	1	1250	\$181.2	\$181.2		Max E51 Specifications Power supply 220V/50-60Hz Operating pressure range 0-6.8bar(0-99psi) Default pressure value 2.2bar(32psi) Reading accuracy + 1 psi Operating temperature 10 - 50°C Weight 9kg
24	TOC217 oil changer domestic configuration	LAUNCH	TOC217	1	890	\$121.9	\$121.9		Working pressure 8-10bar Vacuum degree 0- negative 0.1Mpa Safety valve value 3.5bar Measuring cup volume 10L Oil storage tank volume 72L
25	Brake drum&disc machine	Longshan	C9335	1	8580	\$1,175.3	\$1,175.3		Range of Processing Diameter 180-350 Brake Drum 180-350 Brake Disc180-350 Rotating Speed of Work-piece (r/min) 90 Max. Travel of Tool (mm) 100 Overall Dimensionsmm (L x W
H234	Battery Charger/Booster	FLYTECH	FY1400	1	1690	\$236	\$236.4		INPUT VOLTAGE: 220V &380 50HZ/60HZ POWER: 1.4kw CHarge voltage: 12/24V charge current: 11/17/24/31/38/50A charge start current: 1250A
27	Gear oil filling machine	GREEN	VX500	1	600	\$82.2	\$82.2		1) pressor:1-2.5bar, 2) weight: 18.5kg, 3) volumn: 24L, 4) The maximum pressure safety valve: 4bar, 5) medium: oil, gear oil, the use of international advanced technology and design, long
28	Auto Transmissi on Fluid Exchanger and Cleaner	LAUNCH	CAT501S/OEM	1	5200	\$712.3	\$712.3		Voi tage: 220v sigle phase Fluid tank capacity: 20L×2 Cycle cleaning with detergent Equivalent exchange with high accuracy 5 inch display
29	VALUE300 refrig erant machine	LAUNCH	Value500	1	8500	\$1,164.4	\$1,164.4		1. Nondi ssembly maintenance that save time and effort, and reduce accessories loss 2. Automatic full service without manual intervention 3. Accurate recharging with
30	Brake oil changer	Feiying	BX505	1	1375	\$188.4	\$188.4		Vacuum suction brake oil extraction
L3007	Injector Cleaner & Tester(GDI)	LAUNCH	CNC801 GDI	1	2980	\$431.9	\$431.9		Brand Name: LAUNCH Size: 500*600*700MM Product name: Car Wash Machine Vol tage: 220240V Package size 45x45x50 Package weight 28kg
32	Assembly Lifting and Handling Machine	HOTON	H2054	1	950	\$130.1	\$130.1		Capacity:2T Lowest330mm/Highest2560mm,Gross weight:55kg

33	gear bracket	HOTON	H2057	1	950	\$130.1	\$130.1		Capacity:0.5t lowest870mm/highest1800mm .size:780*730*910
34	Floor Jack	HOTON	QK3.5-500	2	450	\$61.6	\$123.3		capaci ty: 3.5Ton lowest:135MM, top: 500MM, G/W 36/34KGS, SIZE 71 x 41 x 21CM, 1 x 20'
35	Spring Disassembling (press type)	HOTON	H2011	1	950	\$130.1	\$130.1		easy operating for one worker,adjust in many directions,reliable
38	Parts Washer	HOTON	VX3000	1	2695	\$369.2	\$369.2		Disassembled parts can be flushed and cleaned
39	workbench	HOTON	FY800	1	1705	\$233.6	\$233.6		Length 150cm, width 75cm, height: 81cm, with 16 hooks
40	Engine Repair Workbench	HOTON	FY800	1	2915	\$399.3	\$399.3		Product size: 1650*880*865MM, with oil tank
41	engine flip rack	HOTON	500KG	1	1350	\$184.9	\$184.9		Worm with oil pan
42	working lamp assy.	QS	12M	10	260	\$35.6	\$356.2		high reliability, 15m
43	working air assy.	QS	12M	10	260	\$35.6	\$356.2		high reliability12m/8mm
HL316	1/2 pneumatic wrench	HOTON	HL316	1	320.0	\$46.38	\$46.4		1/2 1020NM/2.7KG
R680	torque wrench (charge)	HOTON	R680	1	360	\$52.17	\$52.2		1/2—/350NM 2x20v 4.0battery
45	Auto Tester	LAUNCH	X431PAD V	1	10500	\$1,438.4	\$1,438.4		10.1 inch LCD screen, ECU programmer 2 Year Free update Package: 43x36x36cm Weight 10kg

22	TPMS tester	LAUNCH	TPMS501S	1	550	\$79.7	\$79.7		Features Covers over 98% global vehicles with tire pressure system. ★Activate and match with
23	LTR03 RF Sensor	LAUNCH	LTR03	40	65	\$9.4	\$376.8		Features 1. Compatible with over 98% of OE level sensors in 315MHz and 433MHz.
46	VSP-300 3.5 inch industrial endoscope	LAUNCH	VSP300	1	473	\$64.8	\$64.8		VSP-300 3.5 inch industrial endoscope
47	VSP-310 Air Conditioning Cleaning Endoscope 2-in-1	LAUNCH	VSP310	1	748	\$102.5	\$102.5		VSP-310 Air Conditioning Cleaning Endoscope 2-in-1
48	BST-500 domestic standard configuration	LAUNCH	BST500	1	437.8	\$60.0	\$60.0		BST-500 domestic standard configuration
H2615	28件多功能水箱压力表组 28PCS Radiator Pressure Tester	HOTON	H2615	1	496	\$71.88	\$71.9		28件多功能水箱压力表组 (塑钢) 28PCS Radiator Pressure Tester vacuum-type Cooling system Kit
H2605	TU-443多功能燃油表 TU-443 Fuel injection pressure gauge	HOTON	H2605	1	330	\$47.83	\$47.8		TU-443多功能燃油表 TU-443 Fuel injection pressure gauge
51	Oil/Transmission Pressure tester	HOTON	TU-12	1	180	\$24.7	\$24.7		<ul style="list-style-type: none"> • 3-1/2" gauge • Scales read 0-28Kg/cm2(0-400Psi) • Both English and metric scales • Kit includes adapters of all popular applications
52	Compression Testers	HOTON	TU-003	1	135	\$18.5	\$18.5		A convenient push-button release valve provides for re-checking cylinder compression without removing the gauge. Adapters threaded 14mm, 14mm(Long reach) and 10mm
53	Vacuum degree tester	HOTON	TU-003	1	90	\$12.3	\$12.3		Vacuum degree tester
54	Manual vacuum pump	HOTON	PK9014	1	350	\$47.9	\$47.9		Manual vacuum pump

Equipment for Painting Plant						\$0.0	\$0.0		
55	Painting& Baking Machine	HOTON	ZD280	1	43500	\$5,958.9	\$5,958.9		Lamp heater,Two fan(2 INLET), low threshold within one meter outside and inside, LED lamp Outside Size (mm):7000×5200×3370 Front Door(mm):3000(w)×2600(H)Inside Size(mm):6900×3900×2650
56	Heating Lamp(3 tube)	Feiyang	FY3AL	1	1750	\$239.7	\$239.7		single phase/220V/50Hz Rated Power:3KW,adjustable height:0.15-2.1m,pre-heating:1-15min,baking:0-30min,working distance:0.3-0.5m ,area:0.8*1m,with quartz tube
57	Spray gun	jinli	63SS	1	1050	\$143.8	\$143.8		standard 0.6L plastic paint tank,nickel plating gun body,stainless pin and nozzle,adjsut the painting area,output qty. and inlet
58	Polishing Machine	DEWALT	DW849	1	1150	\$157.5	\$157.5		powerful motor,ball bearing style,long life,Electronic Speed Control module can insure the set speed
Equipment for Body Repairing						\$0.0	\$0.0		
59	Body Rectifying Machine	HOTON	M5	1	23800	\$3,260.3	\$3,260.3		working plate size(L/W/H)5400mm*2100mm*500mm working pressure of hydraulic system:70Mba,Max push force:100KN,working area:360° Air Source
60	spot welding machine	Feiyang	FY6000	2	2350	\$321.9	\$643.8		multi-position of welding,can be choosed freely,precise time adjusting system,function of spot welding in two sides is optional
61	CO2 welding machine	Feiyang	FY4200	1	3450	\$472.6	\$472.6		input voltage:380V,welding current:35A-250A,applicable wire:0.8-1.0-1.2mm
62	separate style jack	SQL	4T	1	1050	\$143.8	\$143.8		imported hydraulic sealing parts,max. output pressure:65MPa, stoke length:127mm,capacity4T,tend:1360mm,max.pressure of oil
63	Pneumatic Polishing Machine	DR	DR301	1	530	\$72.6	\$72.6		Chassis size ... 125 mm Vibration gauge ... 5 mm No load rotational speed ... 9000 rpm Weight.... 1.1 kg Air consumption ... 0.38
Cleaning Machine						\$0.0	\$0.0		

64	Honeycomb light(for wash and polish)	HOTON	1bay/7*4m	2	780	\$106.8	\$213.7		Using LED lights, each 0.6m, 8w, material aviation aluminum + light diffusion PC cover + connector Mainly used for fine washing
65	Finely cleaned floor grille (for wash and polish)	HOTON	1bay/7*4m	28	65	\$8.9	\$249.3		4x7m 8 tons under pressure, light weight, detachable, easy to install, no tools to build quickly, no slot above 3cm thickness, widely used in 4S booth, car beauty shop, foil
66	Body Cleaning Machine	JEEPLUS	T318	2	1980	\$271.2	\$542.5		pressure:80bar power:0.75kw,water outlet:12L/min.
67	dust&fouling removing machie	Chaobao	CB30L	2	320	\$43.8	\$87.7		30L,Power:0.75KW
68	Foam Machie	HOTON	80L	2	450	\$61.6	\$123.3		Pressure:2-3kg,capacity:80L
maintaince set tool									
EV CAR EQUIPMENT						\$0.0			
L1206	EVT501 battery leak tester	LAUNCH	EVT501	1	6800	\$985.5	\$985.5		Power: 20W(Max) Test Pressure Range: 0-30Kpa Sensor Resolution: 1Pa Test Accuracy: ±5Pa Data Storage Method Internal
L1211	New energy battery test pack	LAUNCH	BATTERY PACK	1	2950	\$427.5	\$427.5		It supports reading the current soc/soh of the battery pack, unit / module voltage, input / output current and power, battery temperature, as well as reading the detailed status information and fault
E54014	Lithium Battery Module Capacity Charging	BESITA	E54014	1	12600	\$1,826.1	\$1,826.1		1. Voltage input range: 2VDC~110VDC. 2. Discharge current: adjustable from 1 to 60A, with a step size of 1A. 3. Voltage detection
E54012	24-cell Li-ion Smart Balancer (20A with Built-in)	BESITA	E54012	1	11250	\$1,630.4	\$1,630.4		1. Support 2-24 series lithium battery balancing. 2. Balanced current: adjustable from 1-20A. 3. Accurately collect battery voltage
E683	(6837) 48 New Energy Tool Solutions	BESITA	E6837	1	2760	\$400.0	\$400.0		6837A 20 piece insulation screwdriver tool holder set 6837B 27 piece insulation pliers tool holder set

1215	EV Battery Lift	HOTON	E1215D	1	7980	\$1,156.5	\$1,156.5		Maximum lifting capacity: 1200kg Maximum lifting height: 1850mm Minimum lifting height: 550mm Tabletop length: 1500mm Countertop width: 800mm
69	Mechanic Bit Repair	SATA	SEE SHEET2	1		\$3,628	\$3,628.0		See the list sheet 1
						合计	\$61,029.9		

Shanghai HOTON Auto equipment, FOB shanghai 02159159353 13801993101 CONTACT:MR John, 1PC 40 CONTAINER