

Complete List of Equipment/Tools for Auto-Repair Shop

S/N	Name	Brand	Model	Quantity	price	USD	Amount	Ref. Picture	Parameters
I: Truck General Equipment									
1	Ditch Lift machine	HOTON	DQJ15*2	1	23800	\$3,352	\$3,352		The trench on both sides above the orbit, it uses electric drive, gear which drives the screw rod, The machine has the advantages structure, flexible movement, large lifting force, self locking performance, operating the installation is very convenient
HC8.0 MC ×4 DC	HEAVY DUTY COLUMN LIFT(with battery)	HOTON	HC8.0MC ×4 DC	0	95000	\$13,768	\$0.0		每立柱举升重量 Lifting capacity per unit 8000kg 每立柱尺寸 Machine dimension per unit 1253×1226×2570mm 最大举升高度 Max. lifting height 1810mm 通讯方式 Communication 无线型 wireless
PC30	3t diesel forker	HELI	cpc30	1	57800	\$8,376.8	\$8,376.8		PARAMATER CPC30 Rated capacity lift height 3T/3M Size(L*W*H) 2682*1225*2090 Fork size 1070x125x45 Service mass 4220KG tyre size 20.5-15.5DPR / 501010DPR
1270	Jack stand 30t	HOTON	30T	4	590	\$85.5	\$342.0		Jack stand 30t
###	1T HYDRAULIC TELESCOPIC TRANSMISSION JACK	HOTON	HC14006	1	2483.3	\$359.9	\$359.9		RATED LOAD: 1T MIN.HEIGHT: 830mm MAX.HEIGHT: 1760mm G.W.: 89kg N.W.: 80kg PACKAGE SIZE: 550x370x1000mm QTY IN 20' CONTAINER: 135PCS
1215	EV Battery Lift	HOTON	E1215D	1	7980	\$1,156.5	\$1,156.5		Maximum lifting capacity: 1200kg Maximum lifting height: 1850mm Minimum lifting height: 550mm Tabletop length: 1500mm Countertop width: 800mm Side sliding of the worktop: 0-30mm Lifting time ≥ 50s The descent time is ≥30s
1044	Movable Table battery&engine lifter 1T MANUAL HC-1TM	HOTON	HC-1TM	1	4580	\$645	\$645		Feature: 1. Lifting weight: 1000KG 2. Lifting height: 500-17000mm 3. Platform length and width: 1200 * 600mm 4. Drive: manul 5. Platform: fixed 6.weight:198kg
6	Air Compressor	Shenlong	1.05/12.5	2	4850	\$683	\$1,366		Press:12.5kg Displacement:1.05M3 Power:7.5KW Tank:200L With Air

8	Electric press machine	HOTON	100T	1	14800	\$2,085	\$2,085		Pressure jack: 100T, electric pumps, hydraulic table shows the size of the pressure, mainly used in cars bearing disassembly, cold riveting, assembly and other work. Processing diameter: 180-620 (mm) Maximum stroke: 450mm Motor power: 1.1KW
9	Electric Welding Machine	SP	500A	1	2450	\$345	\$345		Input Voltage:380V Welding Current:50A-500A Welding Wire:0.8mm-1.0mm-1.2mm-2.0-2.5mm
10	HC/C2H2 PC	DC	6PC	1	640	\$90	\$90		Includes lists, pipes, gun every two
11	grinder	JINDing	M3025	1	980	\$138	\$138		Φ250
12	Driller	JINDing	Z4016B	1	1050	\$148	\$148		Φ16, work table size 270 × 280mm base surface dimensions of 254 × 237mm Overall height 1230mm Motor Power: 750w
13	Vise	HG	200mm	2	380	\$54	\$107		150MM
H2 202	Containing 330 fast repair and maintenance tool kit	BESTIR	6663	4	3988	\$562	\$2,247		Containing 330 fast repair and maintenance tool kit
15	Toolbox	HOTON	H5001	2	1250	\$176	\$352		Toolbox , five draws
16	work table	HOTON	H5010	1	2250	\$317	\$317		work table, 1200*800*750
17	Car parts	HOTON	H5008	3	260	\$37	\$110		Layer 850 * 390 * 835, using the handrail mold die casting, beautiful and durable, tool cart corner posts using a molding die of beautiful and durable, two-way choice of heavy brake casters can carry 300KG

18	Van	HOTON	2T	2	1050	\$148	\$296		2T, handling car
19	Body Cleaning Machine	shenlong	SL80	1	2350	\$331	\$331		pressure:80bar ,power:0.75kw,water outlet:12L/min.
20	Ultrasonic cleaning machines	HOTON	FY3600	1	19500	\$2,746	\$2,746		Various internal and external dimensions of the components within the cleaning engine cylinder head, crankshaft gear: 1000x550x550mm outer dimensions: 1200x760x850mm heating power:
II:Truck Engine Repair Equipmen						\$0			
25	Cylinder boring machine	LONGS YUE	T8018	1	68500	\$9,648	\$9,648		the machine is suitable for automobile, tractor bore of the cylinder body repair processing, can also be used in other parts of the machining of inner bore. the machining range is more than T716, also can scrape the cylinder sleeve, bore diameter (mm) 30-180 Max boring depth (mm) 450 R / min spindle speed feed rate mm / R 0.05, 0.10, 0.20 Machine tool power kw 3.75 dimension mm gross weight"
26	Cylinder honing machine	LONGS YUE	3M9816	1	33500	\$4,718	\$4,718		3M9816 boring (grinding) hole diameter mm 45-160 maximum boring (grinding) hole depth mm 320 spindle speed r / min 125, 250 honing head reciprocating motion speed of M / min 0-10
27	Fuel injection pump tester &adjusted	LBD	BD850D	0	29800	\$4,197	\$0		Test different speeds of each cylinder oil consumption; seal-shaped test. 380V/50HZ output power: 11kw,
17	High pressure common rail test rig	LBD	CRS200	1	27800	\$3,915	\$3,915		Technical parameters of CRS200 high pressure common rail test bench: 1 pulse width: 0.01-5ms; 2 times: 0-1000 times continuous injection; 3 fuel temperature: heating and cooling can keep constant temperature automatically; 4 rail pressure: 0-1600bar; 5 rail pressure test precision: 6 + 0.2MPa; fuel filter precision: 2U; test: 0-3000 speed of 7 rpm; 8 fuel tank volume:
29	Motor Test Bench	HOTON	TQD-2	0	19800	\$2,789	\$0		Used to check cars, tractors DC generator, alternator and regulator, starter, magnetos, distributor, ignition coil; capacitors, batteries, wiper motors, electric horn and other electrical equipment
L1002	Auto Tester(12V & 24)	LAUNCH	X431PRO3S+&HD	1	9800	\$1,380	\$1,380		Passenger & Commercial ,12V & 24V together, 10.1 inch LCD screen, ECU programmer 2 Year free update Package: 43x36x36cm Weight 10kg

31	II, Nozzle checker	LBD	LBD60	1	380	\$54	\$54		Pressure range :0-60Mpa
32	EuroIII injector assembling and disassembling tool	HOTO N	HT-6P	1	2980	\$420	\$420		EuroIII injector disassembling tool
33	heavy cylinder pressure	HOTO N	9816	1	250	\$35	\$35		Complete set measures cylinder pressure on a variety equipped cars and light trucks. Gauge measures from 0 to 1000PSI(0-70kg/cm2) and records maximum pressure reached during engine test. Release valve provides immediate venting and rests gauge for
34	Cylinder liner dismounting device	HOTO N	2135	1	650	\$92	\$92		Cylinder liner dismounting device
35	Gearbox bearing extractor	HOTO N	3255	1	900	\$127	\$127		Gearbox bearing extractor
36	Universal valve reamer	HOTO N	3260	1	1350	\$190	\$190		Reamer with automatic positioning device, valve seals, upper and lower chamfer once completed, the processing precision is very high, no grinding, labor-saving, applicable to all models
37	Battery Charging (start)	Feiyang	2000A	1	2680	\$377	\$377		Input Power 1-380v50Hz, the scope of application 12v-24v auxiliary starting and charging, 2000A 3%, the charge current 60A 80%
38	Mobile oil filling equipment	HOTO N	17400	2	3450	\$486	\$972		With a display table, 5:1 pneumatic pump, moving
39	Engine Flip	HC	4000P	1	5800	\$817	\$817		Apply to Dongfeng, liberation and other large truck engine disassembly, cleaning and maintenance operations
40	Engine Crane	HC	3T	1	1850	\$261	\$261		loading: 3t, minimum height: 330mm, maximum height: 2560mm,

41	Gear oil filling machine	GLS	32024	2	580	\$82	\$163		Working pressure :1-2 .5 bar Capacity: 24L Medium: oil, gear oil using the international advanced technical design is made
43	Steering knuckle extruder	HOTON	80T	1	3150	\$444	\$444		1 cylinder working stroke: 90mm ² : 40KN 3. The maximum working pressure maximum removing bearing outside diameter: 4 maximum pressure rating from 180mm: 40MPa
44	Pipe machine	HOTON	K90	0	13800	\$1,944	\$0		hose size : 1/4 ~ 2 "(inner diameter of 6 ~ 51mm)The maximum opening: 92mmExpanding range: +24mmPress control precision: 0.02mmMode of operation: manual, automatic and pedal switchThe maximum pressure: 31.5MPaMotor power: 3kwVoltage: 220V√380VMould: twelve sets of die (14.17.20.24.28.33.38.44.50.56.62.68)O
III: Chassis Repair Equipment						\$0	\$0		
4201	Brake Drum/Disc Cutting Machine	HOTON	T8465	1	16500	\$2,391.3	\$2,391.3		Drum dia capacity 180 – 650 mm Disc dia capacity ≤500 mm Spindle speed 24, 40, 70 r/min Toolpost travel 250 mm Feed rate 0.16 mm/r Motor 1.1/1400 kw/rpm Machine size 800×875×940 mm Net weight 580 kg To introduce: This equipment is a kind of lathe. It can fulfill the reparation of the brake drum, disc and shoe of qutomobiles from minicar to heavy trucks. The unusual feature
47	Dampers spring machine	HOTON	90A	1	2650	\$373	\$373		Voltage: 380v, power: 1.1kw, for the demolition of leaf spring screw
48	brake Riveter machine	HOTON	LS-1	1	2450	\$345	\$345		Voltage: 380v, power: 0.75kw, for brake rivet
49	Tire screw disassembly machines (wind cannon)	SP	9800	2	1150	\$162	\$324		Gas pressure :6-8kg, demolition capacity: 380kg.m; Weight: 18kg
50	Lubricating oil, grease filling machine	GLS	68213	2	850	\$120	\$239		Working pressure: 6-8bar, oil ratio: 50:1, pipelines: 2.5m, the output hydraulic: 500g/min, tank capacity: 13Kg
51	Low delivery device	SH	3T	1	1450	\$204	\$204		disassembly assembly
52	Horizontal Jack	SH	10T	1	2450	\$345	\$345		Weightlifting: 10T

53	Pneumatic horizontal floor roof	HOTO N	80T	2	1550	\$218	\$437		Weightlifting: 80T
54	Hand shoe machine	SH		1	1150	\$162	\$162		Hand on the car type, such as chassis Dongfeng Steyr liberation
55	Shaft Extractor	HB	ZM35	1	3250	\$458	\$458		pressure: 40MPa 80mm 2, pull-pressure stroke: 80mm
56	Truck tire change machine	HOTO N	HC290	1	16800	\$2,366	\$2,366		Electro-hydraulic and advanced technology, high efficiency, low energy consumption, with non-destructive split within and outside the tire and the tire fast separation
112	Car&Truck wheel balancer	HOTO N	HC150	1	8980	\$1,265	\$1,265		Max. wheel weight: 200kg Motor power: 0.2kw Power supply: 110V/220V Balancing accuracy: ±1g Power supply: 3800V Balancing accuracy: car±1g
58	Tire vulcanizer machine	HOTO N	AJD-11	1	1350	\$190	\$190.1		Be suitable for repairing: Various outer tubes ranges from14-20" Input Voltage: 220V Input Power: 2*0.55KW Temperature Range: 140°C-150 °C
Equipment for Body Repairing						\$0			
64	CO2 welding machine	Feiyong	FY5320	1	4950	\$697	\$697		input voltage:380V,welding current:35A-500A,applicable wire:0.8-1.0-1.2mm
127	Dent Pulling Spot Weld Machine	FLYTECH	FY9000	1	3312	\$460.0	\$460.0		Input voltage: AC 220V or 380V Input power: 21KVA Input current: 55A Max welding current: 5400A Oneside welding thickness: 0.8+1.2mm Vacuum suction: 180kg Cable length: 2300+1900mm Microprocessor control system optimizes the welding parameters. Due to the adoption of advanced digital control technology and user friendly design, all you have to do is select the welding current corresponding to the workpiece
65	separate style jack	SQL	10T	1	1050	\$148	\$148		imported hydraulic sealing parts,max. output pressure:65MPa, stoke length:127mm,capacity4T,tend:1360mm, max.pressure of oil tube:100Mpa
65	separate style jack	SQL	25T	1	1580	\$223	\$223		imported hydraulic sealing parts,max. output pressure:65MPa, stoke length:127mm,capacity4T,tend:1360mm, max.pressure of oil tube:100Mpa


66	Chain hoists	CHINA	3T	2	465	\$65	\$131		3T
67	Chain hoists	CHINA	5T	2	1480	\$208	\$417		5T
68	Chain hoists	CHINA	10T	2	1800	\$254	\$507		10T
69	Pneumatic Polishing Machine	DR	DR301	1	380	\$54	\$54		Chassis size ... 125 mm Vibration gauge ... 5 mm No load rotational speed ... 9000 rpm Weight.... 1.1 kg Air consumption ... 0.38 m3/min Inlet diameter.... 1 / 5 "P.T
maintaince set tool						\$0	\$0		
70	Mechanic Bit Repair Tool	DELI		1		\$3,912	\$3,912		See the list
合计							\$50,583		

注：数量为0标识备选，不含在总价内

Full set of tools for repair shop

S/N	Name	Brand	Model	Quantity	price	UNIT	Amount	PICTURE	mark
1	120 PC 12.5 * 6.3 * 10mm series metric group set of tools	BESIT A	120pcs	2	850	\$115	\$230		
2	20T jack	Hoton	Hoton	2	132	\$18	\$36		
3	32T jack	Hoton	Hoton	2	280	\$38	\$76		
4	50T jack	Hoton	Hoton	2	380	\$51	\$103		
5	Valve reamer	Hoton	Hoton	2	500	\$68	\$135		

6	Valve grinding machine	Hoton	Hoton	1	170	\$23	\$23		
7	Carts liner puller	Hoton	Hoton	2	280	\$38	\$76		
8	pipe 13mm	Hoton	Hoton	50	10	\$1	\$68		
267	1 inch 17pc socket	HOTON	H2677	5	395	\$57.25	\$286.2		1 inch 22, 24, 27, 30, 32, 33, 34, 36, 38, 41, 46, 50, 55, 60, 65, 70mm
267	3/4 " 21-60mm 26pcs	HOTON	H2679	2	435	\$63.04	\$126.1		3/4 " 21-60mm 26pcs
268	3/4 " 21-50mm 21pcs	HOTON	H2680	1	460	\$66.67	\$66.7		3/4 " 21-50mm 21pcs
268	1/2 " 8-36mm 25pcs	HOTON	H2681	3	225	\$32.61	\$97.8		1/2 " 8-36mm 25pcs
268	1/2 " 10-30mm 13pcs	HOTON	H2684	2	160	\$23.19	\$46.4		1/2 " 10-30mm 13pcs
268	1/2 " 8-32mm 23pcs	HOTON	H2685	1	245	\$35.51	\$35.5		1/2 " 8-32mm 23pcs
268	30m GONGNIU WIRE REEL	HOTON	H2686	2	360	\$52.17	\$104.3		30m GONGNIU WIRE REEL
268	10M GONGNIU WIRE	HOTON	H2687	5	95	\$13.77	\$68.8		10M GONGNIU WIRE

11	Inflatable Arbors	Hoton	Hoton	10	25	\$3	\$34		
12	Labor Saving Wrench	Hoton	Hoton	4	160	\$22	\$86		
13	Tire pry bar	Hoton	Hoton	2	178	\$24	\$48		
14	Dairo head 20P	Hoton	Hoton	2	78	\$11	\$21		
15	Creeper board	Hoton	Hoton	2	190	\$26	\$51		
16	Cleaning oil pan	Hoton	Hoton	2	85	\$11	\$23		
17	Jackhammers dedicated Whip	Hoton	Hoton	5	30	\$4	\$20		
18	Grease Gun	Hoton	Hoton	2	100	\$14	\$27		
19	Grease Gun	Hoton	Hoton	2	160	\$22	\$43		
20	Empty drums	Hoton	Hoton	1	65	\$9	\$9		
22	Trachea	HOTO N	HOTON	50	7.5	\$1	\$51		
23	Fast innect	HOTO N	HOTON	10	22.5	\$3	\$30		
24	Soufflette metallique	HOTO N	HOTON	3	45	\$6	\$18		

25	water separator	HOTON	HOTON	3	135	\$18	\$55		
26	Creeper	Supplies	HC9316	1	210	\$28	\$28		
27	Air pipe	Supplies	HC9016	2	120	\$16	\$32		
29	Valve disassembly clamp	China	9410	1	150	\$20	\$20		
30	Piston ring compressor	China	97502	1	75	\$10	\$10		
31	Timing belt puller	China	90664	1	110	\$15	\$15		
32	24PCS steel cap	China	HOTON	1	260	\$35	\$35		
33	9 "single-head w	China	HOTON	1	45	\$6	\$6		
34	gear puller YC-7	China	HOTON	1	125	\$17	\$17		
37	Feeler	China	Hoton	1	22.5	\$3	\$3		
38	Calipers	China	0-150	1	110	\$15	\$15		
39	Magnetic disk	China	BST-05302	1	37.5	\$5	\$5		
40	High-pressure machine oiler	China	BST-07241	3	15	\$2	\$6		
41	Tap pull teeth set	China	BST-93402	1	232.5	\$31	\$31		

42	Drill Set 19PCS	China	BST-93442	2	97.5	\$13	\$26		
43	Plastic rasp	China	BST-96215	1	30	\$4	\$4		
44	R134 tester	China	R134A	1	325	\$44	\$44		
45	Universal Opener (340) LZA	China	HC9411	2	22.5	\$3	\$6		
47	The film patch 150	Maike	32mm	10	25.35	\$3	\$34		
48	The film patch 100	Maike	42mm	10	25.35	\$3	\$34		
49	The film patch 64	Maike	50mm	10	24.3	\$3	\$33		
50	The film patch 36	Maike	75mm	10	24.3	\$3	\$33		
51	The film patch (80*80 15	Maike	80mm	10	33.075	\$4	\$45		
52	The film patch (100*100 10	Maike	100mm	10	41.925	\$6	\$57		
53	The film patch (128*128 15	Maike	128mm	10	60.675	\$8	\$82		
54	glue	Maike	230cc	20	29.775	\$4	\$80		
59	Tektronix sealing glue	HOTO N	738/470 ml	5	108.08	\$15	\$73		
60	Balanced block and aluminum 5g-50g (medium)	HOTO N	5-50g, 100g, 150g	100	14.925	\$2	\$202		
61	Balance block (box)	HOTO N	5, 10g	10	33.075	\$4	\$45		
62	Valve nozzle 414	HOTO N	414 (pc)	100	0.75	\$0	\$10		

63	Valve nozzle color 414	HOTO N	414 (pc)	100	1.35	\$0	\$18		
64	Truck valve	HOTO N	pc	100	7.2	\$1	\$97		
65	Valve	HOTO N	100pc	10	16.575	\$2	\$22		
66	Wheel pressure	HOTO N	HOTON	5	11.025	\$1	\$7		
67	Pneumatic tyre grinding machine	HOTO N	HOTON	2	89	\$12	\$24		
68	Grinding machine of copper.	HOTO N	HOTON	2	65	\$9	\$18		
72	Valve wrench	HOTO N	HOTON	30	1.35	\$0	\$5		
73	Valve extractor	HOTO N	HOTON	5	38.625	\$5	\$26		
74	Pistol drill	HOTO N	HOTON	2	175	\$24	\$47		
75	Manual grinder	HOTO N	HOTON	2	178	\$24	\$48		
76	Dust gun	HOTO N	HOTON	5	23.175	\$3	\$16		
77	Film scraper	HOTO N	HOTON	5	11.025	\$1	\$7		
80	Vulcanized rubber	HOTO N	kg	200	16.575	\$2	\$448		

